

Preventative Service	Procedure/HCPCS	Description of Service	Modifier (if applicable)	Revenue Code	Applicable Diagnosis	Diagnosis Description	Frequency	Age	Notes	
www.stdac.org					Diagnosis code used for all exams					
Preventative Medicine NP	99385	18 - 39 years		510	200.00	Encounter for general adult medical examination without abnormal findings	once every three years	19 +	Well woman visits up to 65 years	
	99386	40 - 64 years		510	200.01	Encounter for general adult medical examination with abnormal findings	once every three years	19 +		
	99387	65 years and older		510	Z01.411	Encounter for gynecological examination (general) (routine) with abnormal findings	once every three years	19 +		
Preventative Medicine EP	99395	18 - 39 years		510	201.419	Encounter for gynecological examination (general) (routine) without abnormal findings	Annual	19 +		
	99396	40 - 64 years		510			Annual	19 +		
	99397	65 years and older		510			Annual	19 +		
Diagnosis code used for all exams										
Depression Screening for Adults	99201-99205	New Patient problem visit (document and bill based on counseling time)		510	Z13.89	Encounter for Screening for other disorder	once every three years			
	99211-99215	Established patient problem visit (document and bill based on counseling time)		510			varies		Depends on patient diagnosis and treatment intervals	
	G0444	Annual depression screening, 15 min		510			annual			
Diagnosis code used for all exams										
Behavioral Counseling Prevent STD's <i>*Codes not covered by Medicaid</i>	99401	Preventive counseling or risk factor reduction: 15 mins	33	510	Z71.7	Human immunodeficiency virus [HIV] counseling	Varies			
	99402	Preventive counseling or risk factor reduction: 30 min	33	510	Z71.89	Other specified counseling (other than HIV)				
	99403	Preventive counseling or risk factor reduction: 45 mins	33	510						
	99404	Preventive counseling or risk factor reduction: 60 mins	33	510						
	G0445	high intensity behavioral counseling to prevent STD infection; face-to-face, individual, includes: education, skills training and guidance on how to change sexual behavior; performed semi-annually, 30 minutes	33	510						
Diagnosis code used for all exams										
Contraceptive Counseling <i>*Codes not covered by Medicaid</i>	99401	Preventive counseling or risk factor reduction: 15 mins	33	510	Z30.09	Encounter for other general counseling and advice on contraception	Varies			
	99402	Preventive counseling or risk factor reduction: 30 min	33	510	Z30.02	Counseling and instruction in natural family planning to avoid pregnancy				
	99403	Preventive counseling or risk factor reduction: 45 mins	33	510						
	99404	Preventive counseling or risk factor reduction: 60 mins	33	510						
Diagnosis code used for all exams										
Behavior Change Interventions, Individual <i>*Codes are to be used in the absence of a wellness visit</i>	99408	Alcohol and/or substance (other than tobacco) abuse structured screening (eg, AUDIT, DAST), and brief intervention (SBI) services; 15 to 30 minutes			F10.10	Alcohol Abuse			Depends on patient diagnosis and treatment intervals	
	99409	greater than 30 minutes			F10.120	Alcohol abuse with intoxication			Depends on patient diagnosis and treatment intervals	
	G0396	Alcohol and/or substance (other than tobacco) abuse structured screening (eg, AUDIT, DAST), and brief intervention services; 15 to 30 minutes			F10.129	Alcohol abuse with intoxication				
	G0397	greater than 30 minutes			Z13.89	Encounter for Screening for other disorder				
	G0442	Annual alcohol misuse screening, 15 minutes					annual			
	G0443	Brief face-to-face behavioral counseling for alcohol misuse, 15 minutes					annual			
	<i>*Codes can be reported in addition to preventative medicine service codes</i>	99406	Smoking and tobacco use cessation counseling visit; intermediate, greater than 3 minutes up to 10 minutes		510	F10.10	Alcohol abuse, uncomplicated	varies		Depends on patient diagnosis and treatment intervals
		99407	intensive, greater than 10 minutes		510	F11.10	Opioid abuse, uncomplicated	varies		Depends on patient diagnosis and treatment intervals
					F12.10	Cannabis abuse, uncomplicated				
					F13.10	Sedative, hypnotic or anxiolytic abuse, uncomplicated				
					F13.90	Sedative, hypnotic, or anxiolytic use, unspecified, uncomplicated				
					F15.90	Other stimulant use, unspecified, uncomplicated				
					F16.90	Hallucinogen use, unspecified, uncomplicated				
					Z71.41	Alcohol abuse counseling and surveillance of alcoholic				
					Z71.42	Counseling for family member/partner/friend of alcoholic				
					Z71.51	Drug abuse counseling and surveillance of drug abuser				
					Z71.52	Counseling for family member/partner/friend of drug abuser				
					Z71.6	Tobacco abuse counseling				
					287.891	Personal history of nicotine dependence				
				Z91.89	Other specified personal risk factors, presenting as hazards to health not elsewhere classified					
Lab Services										
80048		Basic metabolic panel							Covered when part of preventative care	
80053		Comprehensive metabolic panel							Covered when part of preventative care	
www.cancer.org	80061	Lipid panel			213.220	Encounter for screening for lipid disorders				
80076		Hepatic function panel							Covered when part of preventative care	
81001		Complete (CBC), automated (Hgb, Hct, HbC, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, with microscopy automated, with microscopy)							Covered when part of preventative care	
82270		Blood, occult, by peroxidase activity (eg, guaiac), qualitative; feces, consecutive collected specimens with single determination, for colorectal neoplasm screening (ie, patient was provided 3 cards or single triple card for consecutive collection)					annually		Covered when part of preventative care	
82306		Vitamin D; 25 Hydroxy, includes fraction(s), if performed							Covered when part of preventative care	
82310		Calcium, total							Covered when part of preventative care	
83655		Lead			213.88	Encounter for screening for disorder due to exposure to contaminants				
85025		Complete (CBC), automated (Hgb, Hct, HbC, WBC and platelet count) and automated differential WBC count							Covered when part of preventative care	
85027		Complete (CBC), automated (Hgb, Hct, HbC, WBC and platelet count)							Covered when part of preventative care	
87110		Culture, chlamydia, any source							Covered when part of preventative care	
87270		Chlamydia trachomatis							Covered when part of preventative care	
87492		Chlamydia trachomatis, quantification							Covered when part of preventative care	
87592		Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, quantification							Covered when part of preventative care	
Colorectal Cancer Screening										
www.codinginlet.com		https://www.ncbi.nlm.nih.gov/pubmed/2386647								

*The ACS recommends that adults aged 45 years and older with an average risk of CRC undergo regular screening with either a high-sensitivity stool-based test or a structural (visual) examination, depending on patient preference and test availability.

	82270	Blood, occult, by peroxidase activity (eg, guaiac), qualitative; feces, consecutive collected specimens with single determination, for colorectal neoplasm screening (ie, patient was provided 3 cards or single triple card for consecutive collection)			Z12.11	Encounter for screening for malignant neoplasm of colon	every 3 years	45* - 75 years	All positive results on non-colonoscopy screening tests should be followed up with timely colonoscopy.
					Diagnosis code used for all procedures (primary diagnosis will be listed primary)				
Colonoscopy	45378	colonoscopy, flexible; proctosigmoidoscopy; flexure; diagnostic, with or without collection of specimen(s) by brushing or washing, with or without colon decompression (separate procedure)	33		Z12.11	Encounter for screening for malignant neoplasm of colon	every 10 years	45* - 75 years	Screening services codes may be submitted even in the event of positive findings (eg, polyp found during a screening colonoscopy). Screening diagnosis must be listed primary and any abnormal findings should be listed as secondary diagnosis
	45379	with removal of foreign body(s)	33						
	45380	with biopsy, single or multiple	33						
	45381	with directed submucosal injection(s), any substance							
	45382	with control of bleeding, any method							
	# 45388	Colonoscopy with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre- and post-dilation and guide wire passage, when performed) with azooscopy or colonoscopy or other accessory (includes pre- and post-dilation and guide wire passage, when performed)							
	45383	with removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps							
	45384	with removal of tumor(s), polyp(s), or other lesions by snare technique	33						
	45386	with transendoscopic balloon dilation							
	45389	with mucoscopic stent placement (includes pre- and post-dilation and guide wire passage, when performed)							
	# 45390	Colonoscopy, flexible; with endoscopic mucosal resection							
	45391	with transendoscopic ultrasound examination limited to the rectum, sigmoid, descending, transverse, or ascending colon and cecum, and adjacent structures							
	45392	with transendoscopic ultrasound guided intramural or transmural fine needle aspiration/biopsy(s) includes endoscopic ultrasound examination limited to the rectum, sigmoid, descending, transverse or ascending colon and cecum, and adjacent structures							
	45393	Colonoscopy, flexible; with decompression (for pathologic distention) (eg, volvulus, megacolon) including placement of decompression tube, when performed							
	# 45398	Colonoscopy, flexible; with band ligation(s) (eg, hemorrhoids)							
Vaccinations					Diagnosis code used for all immunizations		https://www.cdc.gov/vaccines/schedules/hcp/imz/adult.html		
	90620	Meningococcal recombinant protein outer membrane vesicle vaccine, serogroup B (MenB-4C), 2 dose schedule, for IM use		636	Z23	Encounter for immunization	see cdc link above	19 - 26 years	Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90621	Meningococcal recombinant protein vaccine, serogroup B, 2 or 3 dose schedule, for IM use		636	Z23	Encounter for immunization	see cdc link above	19 - 26 years	Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90632	Hep A adult dosage IM		636	Z23	Encounter for immunization	see cdc link above		Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90636	Hep A and Hep B adult dosage		636	Z23	Encounter for immunization	see cdc link above		Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90651	Human Papillomavirus vaccine types 6, 11, 16, 18, 31, 33, 45, 52, 58, nonavalent (HPV), 2 or 3 dose schedule, for IM use		636	Z23	Encounter for immunization	see cdc link above	19 - 27 years	Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90653	Influenza virus vaccine, inactivated (IV), subunit, adjuvanted, for IM use		636	Z23	Encounter for immunization	see cdc link above		Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90654	Influenza virus vaccine, split virus, preservative free, for intradermal use		636	Z23	Encounter for immunization	see cdc link above		Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90656	Influenza virus vaccine, trivalent (IV), split virus, preservative free, 0.5 mL dosage, for intramuscular use		636	Z23	Encounter for immunization	see cdc link above	19 - 124 years	Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90657	Influenza virus vaccine, trivalent (IV), split virus, 0.25 mL dosage, for intramuscular use		636	Z23	Encounter for immunization	see cdc link above		Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90658	Influenza virus vaccine, trivalent (IV), split virus, 0.5 mL dosage, for intramuscular use		636	Z23	Encounter for immunization	see cdc link above		Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90661	Influenza virus vaccine, trivalent (IV), split virus, preservative free, 0.5 mL dosage, for intramuscular use		636	Z23	Encounter for immunization	see cdc link above		Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90662	Influenza virus vaccine, enhanced immunogenicity via increased antigen content, for intramuscular use		636	Z23	Encounter for immunization	see cdc link above		Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90670	Pneumococcal conjugate vaccine, 13 valent (PCV13), for intramuscular use		636	Z23	Encounter for immunization	see cdc link above	19 - 124 years	Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90673	Influenza virus vaccine, trivalent (RV3), derived from recombinant DNA, hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use		636	Z23	Encounter for immunization	see cdc link above		Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90674	Influenza virus vaccine, quadrivalent (QIV4), derived from cell cultures, subunit, preservative and antibiotic free, 0.5 mL dosage, for intramuscular use		636	Z23	Encounter for immunization	see cdc link above	19 - 124 years	Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90682	Influenza virus vaccine, quadrivalent (RV4), derived from recombinant DNA, hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use		636	Z23	Encounter for immunization	see cdc link above		Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90686	Influenza virus vaccine, quadrivalent (IV4), split virus, preservative free, 0.5 mL dosage, for intramuscular use		636	Z23	Encounter for immunization	see cdc link above	19 - 124 years	Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90688	Influenza virus vaccine, quadrivalent (IV4), split virus, 0.5 mL dosage, for intramuscular use		636	Z23	Encounter for immunization	see cdc link above	19 - 124 years	Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90691	typhoid vaccine, VI capsular polysaccharide (ViCP), for intramuscular use		636	Z23	Encounter for immunization	see cdc link above		Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90707	Measles, mumps and rubella virus vaccine (MMR), live, for subcutaneous use		636	Z23	Encounter for immunization	see cdc link above	19 - 124 years	Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90713	Poliovirus vaccine, inactivated (IPV), for subcutaneous or intramuscular use		636	Z23	Encounter for immunization	see cdc link above	19 - 124 years	Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90714	tetanus and diphtheria toxoids adsorbed (Td), preservative free, when administered to individuals 7 years or older, for intramuscular use		636	Z23	Encounter for immunization	see cdc link above	19 - 124 years	Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90715	tetanus, diphtheria toxoids and acellular pertussis vaccine (Tdap), when administered to individuals 7 years or older, for intramuscular use		636	Z23	Encounter for immunization	see cdc link above	19 - 124 years	Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90716	Varicella virus vaccine (VAR), live, for subcutaneous use		636	Z23	Encounter for immunization	see cdc link above	19 - 124 years	Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90732	Pneumococcal polysaccharide vaccine, 23-valent (PPSV23), adult or immunosuppressed patient dosage, when administered to individuals 2 years or older, for subcutaneous or intramuscular use		636	Z23	Encounter for immunization	see cdc link above	19 - 124 years	Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90734	Meningococcal conjugate vaccine, serogroups A, C, Y and W-135, quadrivalent (MCV4 or MenACWY), for intramuscular use		636	Z23	Encounter for immunization	see cdc link above	19 - 56 years	Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90736	Zoster (shingles) vaccine (HZV), live, for subcutaneous injection		636	Z23	Encounter for immunization	see cdc link above		Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90739	Hepatitis B vaccine (HepB), adult dosage, 2 dose schedule, for intramuscular use		636	Z23	Encounter for immunization	see cdc link above		Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90740	Hepatitis B vaccine (HepB), dialysis or immunosuppressed patient dosage, 3 dose schedule, for intramuscular use		636	Z23	Encounter for immunization	see cdc link above		Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90744	Hepatitis B vaccine (HepB), pediatric/adolescent dosage, 3 dose schedule, for intramuscular use		636	Z23	Encounter for immunization	see cdc link above	19 to 20 years	Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90746	Hepatitis B vaccine (HepB), adult dosage, 3 dose schedule, for intramuscular use		636	Z23	Encounter for immunization	see cdc link above		Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes
	90747	Hepatitis B vaccine (HepB), dialysis or immunosuppressed patient dosage, 4 dose schedule, for intramuscular use		636	Z23	Encounter for immunization	see cdc link above		Diagnosis Z23 is reported in addition to any health exam ICD 10-CM codes

